HIFUDERM - TREATMENT INFORMED CONSENT



Client/Patient consent to treatment:

			dagree to receive the treatments horize		
specialis	t, to perfe	orm high intense focus ult	rasound treatment (hifu), with ar	y Hifu device. Areas to be	
			· ·		
*	The nature and purpose of the treatment has been explained to me , and any questions I have regarding this procedure have been explained to my satisfaction(initial)				
*		have been advised of Prior treatment care, among thems:			
		_	ol, RetinA, glycolic acid or salicylic	acid.	
		sideration with my own pr	ovider.		
		es, area pre-treatment			
*		have been advised of the Hifu treatment contraindications (health or physical conditions that prevent or prohibit			
		he intense focus ultrasound) I have read one by one, and I have clearly and freely expressed that I am in good			
	ealth and do not have any contraindication (Initial)				
*	have been advised to communicate immediately to the SPA or members of his / her staff if after				
		tarting the treatment my health conditions change , to stop or modify treatment(Initial)			
I have been advised to avoid sun exposure or tanning and to protect my skin with * (leitial)				block, during and between	
.*.	treatment(Initial)				
	I have provided my past and current medical history and medications(Initial)				
**	❖ I understand that with any treatment certain risks are involved and that any complications or side effects from known or unknown causes may occur. I freely assume these risks(initial)				
	 Bruising, swelling and tenderness can occur in the treated area. Bruising may not be evident for several days following the treatment and often is greenish in color by the time it becomes visible. Most common 				
	areas for bruising are along the jawline and cheekbone.				
	and cheekbone and	and cheekbone and most often noted when touching your face, washing, or applying makeup. This will not interfere with eating, talking, or moving your facial muscles.			
			ves is uncommon but can happen	This can result in temporary	
		patches of decreased sensation or some weakness of facial muscles (usually the muscle which pulls the corner of the mouth downward). When this occurs, it is always temporary and usually resolves within			
	three weeks.				
*	I consent to the taking of ph	notographs during the cou	rse of my Hifu treatment	(Initial) (only if agreed)	
			o me before signing this consent		
First Session Date:		Signature:	Clinician :		
Second Session Date:		Signature:	Clinician :		
Follow Treatment Date:		Signature:	Clinician :		
	.	.			
Follo	ow Treatment Date:	Signature:	Clinician :		